

# 5

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Dr. J.C. KÄRGER et al.

Office of Initial Patent Examination  
Customer Service Center

Appln. No. : 09/585,568

Filed : June 2, 2000

For : ELASTIC ROLLER AND PROCESS FOR PRODUCING SAME

REQUEST FOR CORRECTION OF OFFICIAL FILING RECEIPT

Commissioner of Patents and Trademarks  
Washington, D.C. 20231

Sir:

The names of the inventors of the above-identified application, as they appear on the Official Filing Receipt are incorrect. The names of the inventors should read **Dr. Jens Christian Kärger** and **Dr. Albert Maria Vodermayr**, not Jens Christian Kärger and Albert Maria Vodermayr as they appear on the Filing Receipt.


Please correct the names of the inventors to read:

**Dr. Jens Christian Kärger**

**Dr. Albert Maria Vodermayr**

and forward a corrected copy of the Filing Receipt to the undersigned.

Respectfully submitted,  
Dr. J.C. KÄRGER et al.

  
Neil F. Greenblum  
Reg. No. 28,394

November 1, 2000  
GREENBLUM & BERNSTEIN, P.L.C.  
1941 Roland Clarke Place  
Reston, Va. 20191  
(703) 716-1191

RECEIVED  
NOV 9 2000  
TC 3700 MAIL ROOM